



H.B. Fuller

Woodworking

RAKOLL® PW 150

Polyurethane based Reactive Hot Melt Adhesive for Profile Wrapping

RAKOLL® PW 150 was developed to fulfil the market requirements for highest green strength, even with difficult to bond materials.

For profile wrapping of wood and wooden based substrates with all typical foil materials.



Advantages of RAKOLL® PW 150

Low cost in use	Excellent and fast strength increase, even with low coat weights from 30 g/m ² .
Low application temperatures	Application temperatures possible from +120 °C so allowing bonding of more heat sensitive materials.
Reduced energy costs	Due to the lower application temperatures there is potential for energy cost savings.
Low maintenance costs	Less wastage/replacement of high maintenance parts, e. g. nozzle, hoses etc.
Flexibility	Suitable for line speeds from 10 to 80 m/min.
Versatility	Suitable for all typical papers and foils as well as for profiles with tight radiuses. Note: For wrapping aluminium profiles a pre-treatment (primer or corona) is recommended.
Temperature resistance	High heat resistance after complete curing > +150 °C depending on the materials and good cold resistance.

Collaborating for Greater Success

With the full strength of our innovation, performance and knowledge behind you, H.B. Fuller works tirelessly to invent new products and tailor formulations to help you achieve greater success.

As your focused partner, H.B. Fuller delivers the technical support and value adding solutions you need. Do you have a specific challenge that H.B. Fuller can help you navigate? We're eager to be your partner for adhesives and solutions.

Our Focus is Clear. Perfecting Adhesives.

IMPORTANT: The information, products, specifications, procedures and recommendations herein (together "information") are based on our experience, and we believe to be accurate. No representation, guarantee or warranty is made as to the accuracy or completeness of the information or that the information will avoid losses or damages or give desired results. It is the purchasers sole responsibility to test and determine the suitability of any information for the intended use. Tests should be repeated if materials or conditions change in any way. No employee, distributor or agent has any right to change these facts and offer a guarantee of performance.

Austria 07242 409 341	France 0800 917 537	Belgium 0800 49 740	Poland 00800 1213 827	Egypt 0020 238 333 731
Germany 04131 705 275	Italy 800 985 778	Netherlands 0800 020 3433	Eastern Europe 0043 7242 409 365	
Switzerland 0049 4131 705 275	Spain 800 099 493	Luxemburg 00800 3855 3711	Russia 0043 7242 409 346	
UK 00800 3855 3711	Portugal 22 928 82 00	Sweden 031 496 640	India 0091 22 6145 0500	H.B. Fuller Europe info-europe@hbfuller.com

